

TECHNICAL DATA**Solid content:****38 – 46 %**

Values given in this table must not be considered as specifications.

PRODUCT DESCRIPTION

Black primer specific for treating glass without ceramic coating. Applied before **MS Screen/HL/HL 90** and **POLYMAR MS 960**, the product forms a protective film against UV radiation on the bonding surface between the sealant and the glass.

Coverage:

- Paint pads: 250 g/m² (wet)
- Spray: 200 g/m² (wet)

SAFETY AND HEALTH

See the Safety Data Sheet.

CAUTIONS

Avoid bare hand contact with the surface treated with **Primer GX** as contamination with greasy substances can reduce sealant adhesion.

METHOD OF USE

Surface preparation: Primer GX must be applied on clean and dry glass, free from dust and grease.

Cleaning must be done with a wad soaked in **Pulitore E** (drying time about 10 min.).

Application: the package must be kept well closed until it is used. Do not use **Primer GX** directly from the original package.

Being a very fast drying product it is recommended that the necessary quantity for treating a windscreen be poured into a suitable clean glass container or tin and used immediately, closing the original package. For a correct application, completely dip the felt pad included in the package into the **Primer GX** and lay a uniform film on the glass in one pass so as to give the maximum coverage to the surface to be sealed and to obtain its effective protection from UV radiation.

After a drying time of at least 20 min., **MS Screen/HL/HL 90** and **POLYMAR MS 960** sealant can be applied. The best results are obtained by applying the sealant within 4 hours from the treating of the glass with **Primer GX**. Therefore, it is advisable not to apply the Primer to surfaces that cannot be sealed within this time.

STORAGE STABILITY

6 months for the product stored in the original sealed container at a temperature range from + 5°C to + 30°C.

PACKAGING

Code	Colour	Packaging	Pcs./box
1103273	Black	botle 50 gr	-
1103279	black	botle 500 gr	6

Other sizes available on request

Fratelli Zucchini S.p.A.

Via C. Colombo, 6
 44124 Ferrara - Italy
 Tel. +39 0532 782711 - info@zucchini.it - www.zucchini.it

COMPANY WITH
 ENVIRONMENTAL SYSTEM
 CERTIFIED BY DNV
 = ISO 14001 =

COMPANY WITH
 QUALITY SYSTEM
 CERTIFIED BY DNV
 = ISO 9001 =

