

Z.Pren 2000 Tix

Gel consistence contact adhesive

Description

Z.Pren 2000 Tix is a solvent based polychloroprene adhesive with a special gel-like consistence, easy to use, not slumping, multipurpose, suitable for plastic laminate, plywood, chipboard, fabric, leather, cork, metal, concrete and porous materials.

Thanks to its consistency the adhesive is not absorbed by porous surfaces, easy to apply also on to vertical surfaces.

Characteristics

Composition	: polychloroprene rubber, synthetic resins in a blend of organic solvents
Consistency	: gel
Mode of setting	: solvent release
Colour	: light amber
Solvents	: aliphatic hydrocarbons, esters and ketons
Temperature resistance	: from -20° to 60°C.
Moisture resistance	: good

Technical data

Solids content : 23 - 25 % *

Viscosity : gel

*Value valid as product supply specification upon leaving the factory

Method of use

Surface preparation : surfaces must be clean and dry

Application: apply an uniform coat of adhesive by toothed spatula on to both surfaces. Allow to dry for about 15' as the solvent can evaporate.

Assembling: put the parts in contact by adequate pressure. With porous surfaces it is possible to join the parts in a few minutes after adhesive application, so films can slide one to other and position can be adjusted.

Setting time: the adhesive sets immediately. Maximum bond strength is reached in 5 days after adhesive application.

Coverage: 250 gr/m²

Cleaning: traces of adesive can be removed by Solvent ST/513

Packing: tin kg 1,7 and kg. 5

Storage stability

12 months in the original sealed pack if kept at a temperature range +5° e +25°C.

All recommendations relating to application and use of Fratelli Zucchini products have been given in good faith based on Fratelli Zucchini knowledge and experience, and for products appropriately stored, handled and applied in normal conditions, as indicated in their respective Technical Datasheet.

The variability of materials, substrates and conditions of use is such that no warranty of their functionality for a specific application can be deducted from this information, written recommendation or any other type of suggestion offered.

Each user has the responsibility to complete adequate evaluations on the efficacy of the materials offered by Fratelli Zucchini, of its products, services, recommendations and suggestions for the specific application need, and must accomplish sufficient testing to ascertain that the final product will be safe and sound for the final intent of the end-user.

Fratelli Zucchini cannot be considered liable for any damage, direct or indirect derived by a wrong or incorrect use of the products
