

Fratelli Zucchini S.p.A.

Registered Office and Headquarters

Via C. Colombo, 6 Tel. + 39 0532 782711 info@zucchini.it P.I. IT 00056730385 N. Mecc. Estero:
44124 Ferrara - Italy Fax + 39 0532 732121 www.zucchini.it C.F. 00056730384 FE 00140 - R.E.A. FE n. 13878

DECLARATION OF PERFORMANCE CE

According to Annex III of the Regulation (EU) No 305/2011

ALCOSIL - DOP N° 17 06 5006435

1. Unique identification code of the product-type:

ALCOSIL – LOW MODULUS FAST CURING NEUTRAL SILICONE SEALANT FOR PLASTICS.

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

Batch number: see packaging of the product.

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

a. **EN15651-1: F-EXT-INT sealant for façade for interior and exterior.**

b. **EN15651-2: G-CC sealant used for sealing glazing applications.**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Fratelli Zucchini S.p.A. - Via C. Colombo, 6 – 44124 Ferrara (Italy)

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N.A.

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 3
System 3 for the reaction to fire**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

The notified body GINGER CEBTP (NB0074) performed the determination of the product-type and reaction to fire class according to EN 15651-1 and EN 15651-2 on the basis of product testing under system 3 and issued test reports.

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

N.A.

DECLARATION OF PERFORMANCE CE

According to Annex III of the Regulation (EU) No 305/2011

ALCOSIL - DOP N° 17 06 5006435

9. Declared performance

a. EN 15651-1: F-EXT-INT CLASS – 25 LM

Conditioning: Method A (according to ISO8340)
Substrates: Glass without primer
Aluminum without primer
Concrete with primer SS 4179

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class E	EN 15651-1: 2012
Release of chemicals dangerous to the environment and health	See MSDS	
Water and air tightness		
Resistance to flow	≤ 3 mm.	
Loss of volume	≤ 10%	
Tensile properties	NF	
Elastic recovery	≥ 70%	
Durability	Pass	

b. EN 15651-2: G CLASS – 25 LM

Conditioning: Method A (according to ISO 8340)
Substrates: Glass without primer
Aluminum without primer

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class E	EN 15651-2: 2012
Release of chemicals dangerous to the environment and health	See MSDS	
Water and air tightness		
Resistance to flow	≤ 3 mm.	
Loss of volume	≤ 10%	
Elastic recovery	≥ 60%	
Durability	Pass	

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

N.A.

Fratelli Zucchini S.p.A.

Registered Office and Headquarters

Via C. Colombo, 6 Tel. + 39 0532 782711 info@zucchini.it P.I. IT 00056730385 N. Mecc. Estero:
44124 Ferrara - Italy Fax + 39 0532 732121 www.zucchini.it C.F. 00056730384 FE 00140 - R.E.A. FE n. 13878

DECLARATION OF PERFORMANCE CE

According to Annex III of the Regulation (EU) No 305/2011

ALCOSIL - DOP N° 17 06 5006435

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Ferrara 30-04-2015.

Signed for and on behalf of the manufacturer by
Maurizio Pazzaglia
CEO

